

INFORMATIONAL CHART

ENDLESS ROUND SLINGS: POLYESTER/ 5:1 SAFETY FACTOR

Part Color	Part Number	Vertical	Choker	Basket	60°	45°	30°	Minimum Length	Approx. Diameter	Approx. WT / FT
PURPLE	ENR1P	2,600	2,100	5,200	4,500	3,700	2,600	1 ½'	1 ½"	0.3 LB
GREEN	ENR2P	5,300	4,200	10,600	9,200	7,500	5,300	1 ½'	1 ¾"	0.4 LB
YELLOW	ENR3P	8,400	6,700	16,800	14,500	11,900	8,400	1 ½'	2 ¼"	0.5 LB
TAN	ENR4P	10,600	8,500	21,200	18,400	15,000	10,600	1 ½'	2 ¼"	0.6 LB
RED	ENR5P	13,200	10,600	26,400	22,900	18,700	13,200	1 ½'	2 5/8"	0.8 LB
WHITE	ENR6P	16,800	13,400	33,600	29,100	23,800	16,800	3'	2 5/8"	0.9 LB
BLUE	ENR7P	21,200	17,000	42,400	36,700	30,000	21,200	3'	3 ½"	1.3 LB
ORANGE	ENR8P	25,000	20,000	50,000	43,300	35,400	25,000	3'	4 5/16"	1.6 LB
ORANGE	ENR9P	31,000	24,800	62,000	53,700	43,800	31,000	3'	4 5/16"	2.0 LB
ORANGE	ENR10P	40,000	32,000	80,000	69,300	56,600	40,000	3'	4 ¾"	2.6 LB
ORANGE	ENR11P	53,000	42,400	106,000	91,800	74,900	53,000	5'	5 ¾"	3.4 LB
OLIVE	ENR12P	66,000	52,800	132,000	114,300	93,300	66,000	5'	5 ¾"	4.3 LB
BLACK	ENR13P	90,000	72,000	180,000	155,900	127,300	90,000	5'	5 ¾"	5.9 LB

EYE TO EYE ROUND SLING: POLYESTER/ 5:1 SAFETY FACTOR

Part No.	Color Code	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)	Standard Eye Length	Body Width	Approx. Weight per foot
PURPLE	EER1P	2,600	2,100	5,200	6"	2.25"	0.4 lb.
GREEN	EER2P	5,300	4,200	10,600	6"	2.50"	0.5 lb.
YELLOW	EER3P	8,400	6,700	16,800	9"	2.50"	0.6 lb.
TAN	EER4P	10,600	8,500	21,200	9"	3.50"	0.7 lb.
RED	EER5P	13,200	10,600	26,400	9"	3.50"	1.0 lb.
WHITE	EER6P	16,800	13,400	33,600	9"	3.50"	1.1 lb.
BLUE	EER7P	21,200	17,000	42,400	12"	4.25"	1.6 lb.
ORANGE	EER8P	25,000	20,000	50,000	12"	5.00"	1.85 lb.
ORANGE	EER9P	31,000	24,800	62,000	12"	6.50"	2.50 lb.
ORANGE	EER10P	40,000	32,000	80,000	18"	8.50"	3.20 lb.
ORANGE	EER11P	53,000	42,400	106,000	18"	10.00"	4.00 lb.
OLIVE	EER12P	66,000	52,800	132,000	18"	11.50"	5.00 lb.
BLACK	EER13P	90,000	72,000	180,000	18"	14.00"	6.30 lb.




WARNING: Do not exceed rated capacities.

CONVERT METRIC TON TO LBS – TONNE X 2,204.62262 = LBS

CONVERT US TON TO LBS – US TON X 2,000 = LBS

INFORMATIONAL CHART

EYE TO EYE WEB SLINGS: POLYESTER / 5:1 SAFETY FACTOR



ONE PLY

Type 3 Flat Eye	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EE1-901PF	1,600	1,250	3,200
EE1-902PF	3,200	2,500	6,400
EE1-903PF	4,800	3,800	9,600
EE1-904PF	6,400	5,000	12,800
EE1-906PF	9,600	7,700	19,200
EE1-908PF	12,800	10,200	25,600
EE1-910PF	16,000	12,800	32,000
EE1-912PF	19,200	15,400	68,400

THREE PLY

Type 3 Flat Eye	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EE3-901PF	4,100	3,300	8,200
EE3-902PF	8,300	6,600	16,600
EE3-903PF	12,500	10,000	25,000
EE3-904PF	16,000	12,800	32,000
EE3-906PF	26,000	18,400	46,000
EE3-908PF	30,700	24,500	61,400
EE3-910PF	36,800	29,400	73,600
EE3-912PF	44,000	35,200	88,000

TWO PLY

Type 3 Flat Eye	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EE2-901PF	3,200	25,900	6,400
EE2-902PF	6,400	5,000	12,800
EE2-903PF	8,600	6,900	17,200
EE2-904PF	11,500	9,200	23,000
EE2-906PF	16,300	13,000	32,600
EE2-908PF	19,200	15,400	38,400
EE2-910PF	22,400	17,900	44,800
EE2-912PF	26,900	21,500	53,800

FOUR PLY


Type 3 Flat Eye	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EE4-901PF	5,000	4,000	10,000
EE4-902PF	10,000	8,000	20,000
EE4-903PF	14,900	11,900	29,800
EE4-904PF	19,800	15,800	39,600
EE4-906PF	22,800	23,800	59,600
EE4-908PF	39,700	31,700	79,400
EE4-910PF	49,600	39,600	99,200
EE4-912PF	59,500	47,600	119,000

WARNING: Do not exceed rated capacities.

CONVERT METRIC TON TO LBS – TONNE X 2,204.62262 = LBS

CONVERT US TON TO LBS – US TON X 2,000 = LBS

INFORMATIONAL CHART



ENDLESS WEB SLING: POLYESTER / 5:1 SAFETY FACTOR

ONE PLY

Type 5 Endless	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EN1-901PF	3,200	2,500	6,400
EN1-902PF	6,400	5,000	12,800
EN1-903PF	8,600	6,900	17,200
EN1-904PF	11,500	9,200	23,000
EN1-906PF	16,300	13,000	32,600
EN1-908PF	19,200	15,400	38,400
EN1-910PF	22,400	17,900	44,800
EN1-912PF	26,900	21,500	53,800

THREE PLY

Type 5 Endless	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EN3-901PF	8,000	6,400	16,000
EN3-902PF	16,000	12,800	32,000
EN3-903PF	21,500	17,200	43,000
EN3-904PF	28,700	23,000	57,400
EN3-906PF	40,700	32,500	81,400
EN3-908PF	46,000	36,800	92,000
EN3-910PF	51,500	41,200	103,000
EN3-912PF	59,200	47,300	118,400

TWO PLY

Type 5 Endless	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EN2-901PF	6,200	4,900	12,400
EN2-902PF	12,200	9,800	24,400
EN2-903PF	16,300	13,000	32,600
EN2-904PF	20,700	16,500	41,400
EN2-906PF	28,600	23,000	57,200
EN2-908PF	30,700	24,500	61,400
EN2-910PF	33,600	26,800	67,200
EN2-912PF	37,600	30,000	75,200

FOUR PLY

Type 5 Endless	Vertical (lbs.)	Choker (lbs.)	Basket (lbs.)
EN4-901PF	10,000	8,000	20,000
EN4-902PF	19,800	15,800	39,600
EN4-903PF	26,700	21,300	53,400
EN4-904PF	35,600	28,400	71,200
EN4-906PF	50,500	40,400	101,000
EN4-908PF	57,600	46,000	115,200
EN4-910PF	67,200	53,700	134,400
EN4-912PF	80,700	64,500	161,400

WARNING: Do not exceed rated capacities.

CONVERT METRIC TON TO LBS – TONNE X 2,204.62262 = LBS

CONVERT US TON TO LBS – US TON X 2,000 = LBS